

[RDH Liftmaster 600R Work Platform](#) **[Inventory ID #1296290]**



RDH Liftmaster 600R Work Platform

- Make: RDH
- Model: Liftmaster 6000R
- Hours: 7,810
- Capacity: 6,000 Lbs.
- Deck Height: 13ft 4in (4.1m) Extended
- Deck Size: 7.5ft x 12ft (2.3m x 3.7m)
- Platform with Dual Side Shift for Maximum Coverage and Less Set-Up Time
- Rear Telescopic Stabilizers with Side Extension Ensure Stability During Platform Deployment
- Replaceable Wood Lined Deck with Kick Plates
- Two Hydraulic Lift Cylinders with Lock Valves

- General Model Specifications:

- Lifting Platform:
 - Deck Dimensions: 2,286mm x 3,658mm (7.5' x 12')
 - Max Deck Height - Stabilizers Ext.: 4,075mm (13'- 4")
 - Lifting Capacity: 2,722 kg (6,000 Lbs.)
 - Hydraulic Side Shift Deck (Each Side): 616mm (24")
 - Loading Height from Ground: 1,468mm (58")
 - Height at Top of Hand Rails: 2,577mm (101")
 - Replaceable Wood Deck: 76mm (3") Thick
 - Fixed Side Rail Height: 1,108mm (44")
 - Hydraulic Deck Lift Cylinders (2) with Built In Lock Valves



- Telescopic Ladder
 - Scissor Arm Lock
 - Platform Controls
 - Certification: CSA Lifting Standard C225-00 for Vehicle Mounted Aerial Devices
-
- Engine:
 - Make: Cat® C4.4 ACERT Diesel Tier 3
 - Power Rating @2200 RPM: 66-129 kW/88-174hp
 - Compression Ratio: 16.5:1
 - Displacement: 4.4 L (268.5 in³)
 - Exhaust: Catalytic Purifier with Silencer
 - Fuel Tank Volume: 238 L
-
- Transmission:
 - Make: Dana Powershift
 - Series: 20000
 - 4 Speeds Forward and Reverse
 - 4 Wheel Drive
-
- Axles:
 - Make: Dana 113
 - Type: Planetary
 - Oscillation (Rear Axle) + 7°
-
- Stabilizers:
 - Stabilizers (2 Front, 2 Rear)
 - Stabilizer Leg Extend (Front) 762mm (30")
 - Stabilizer Leg Extend (Rear) 908mm (36")
 - Stabilizer Spread (Side Extension) 2,934mm (9'-7")
-
- Brakes:
 - Service: Wet Disc (Integrated), Internal SAHR
 - Emergency & Parking: SAHR
-
- Tires:
 - Mine Type, 10.00 – 20
-
- Steering:



- Hydraulic, Articulated
- Steering Angle: + 38°

- Hydraulics:
 - Steering and Platform: 170 bar, 190 L/min @2200 rpm
 - Hydraulic Oil Tank Volume: 230 L

- Electrical System
 - Voltage: 24 V
 - Battery: 2 x 12 VDC
 - Trimming/Working LED Lights: 4 front/4 rear
 - Brake Lights: 2 Rear

- Miscellaneous:
 - Central Grease Point
 - Standard Gauges and Instrumentation
 - ANSUL Fire Suppression
 - Copy of Parts/Operator/Service Manuals
 - Passenger Seating
 - Suspension Seating (Operator/Passenger)
 - ROPS/FOPS Certified Canopy

- Overall Dimensions: Approx.
 - Length: 323in
 - Width: 90in
 - Height: 101in
 - Weight: 36,045 Lbs. (16,350 Kg)

- [View Spec Sheet Below](#)

- Location: Western Canada

View More [Underground Service Vehicles](#)